





IDENTIFICATION CHART



Vehicle	Date	Crossbar	FRONT CROSSBAR					REAR CROSSBAR						
			Front Right Pad/Clamp	Front Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/Clamp	Rear Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction
Toyota Kluger 4dr SUV	03-07	1260mm	M368 SUB0145	M368 SUB0145	201mm	88mm	1050mm / 41,11/32"	OUT	M368 SUB0145	M368 SUB0145	188mm	75mm	1024mm / 40,5/16"	OUT
			Pad Arrow OUT						Pad Arrow OUT					
Toyota Highlander 4dr SUV	01-07	1260mm	M368 SUB0145	M368 SUB0145	201mm	88mm	1050mm / 41,11/32"	OUT	M368 SUB0145	M368 SUB0145	188mm	75mm	1024mm / 40,5/16"	OUT
			Pad Arrow OUT						Pad Arrow OUT					
Suzuki Kizashi 4dr sedan	10-	1260mm	M368 SUB0145	M368 SUB0145	178mm	65mm	1004mm / 39,17/32"	OUT	M368 SUB0145	M368 SUB0145	159mm	46mm	966mm / 38,1/32"	OUT
			Pad Arrow OUT						Pad Arrow OUT					
Toyota Corolla 5dr wagon	05/07-06/12	1180mm	M368 SUB0145	M368 SUB0145	183mm	128mm	934mm / 36,49/64"	OUT	M368 SUB0145	M368 SUB0145	165mm	110mm	898mm / 35,23/64"	OUT
			Pad Arrow OUT						Pad Arrow OUT					



IDENTIFICATION CHART



Vehicle	Date	Crossbar	FRONT CROSSBAR					REAR CROSSBAR						
			Front Right Pad/Clamp	Front Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/Clamp	Rear Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction
Honda Accord 4dr sedan 50	08-13	1260mm	M368 SUB0145	M368 SUB0145	184mm	71mm	1016mm / 40"	OUT	M368 SUB0145	M368 SUB0145	178mm	65mm	1004mm / 39,17/32"	OUT
			Pad Arrow OUT						Pad Arrow OUT					
Toyota Corolla 5dr wagon	07/12-	1180mm	M368 SUB0145	M368 SUB0145	159mm	104mm	886mm / 34,7/8"	OUT	M368 SUB0145	M368 SUB0145	149mm	94mm	866mm / 34,3/32"	OUT
			Pad Arrow OUT						Pad Arrow OUT					



Rhino Rack 2500 Series - DK065 instruction




CONTROLLED

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.

Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.



VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks 5kg/ 11lbs)
Toyota Kluger 4dr SUV	03-07	200mm / 7,7/8"	800mm / 31,1/2"	75kg / 165lbs
Toyota Highlander 4dr SUV	01-07	200mm / 7,7/8"	800mm / 31,1/2"	75kg / 165lbs
Suzuki Kizashi 4dr sedan	10-	350mm / 13,25/32"	750mm / 29,17/32"	50kg / 110lbs
Toyota Corolla 5dr wagon	05/07-06/12	140mm / 5,33/64"	800mm / 31,1/2"	75kg / 165lbs
Honda Accord 4dr sedan 50	08-13	200mm / 7,7/8"	700mm / 27,9/16"	50kg / 110lbs
Toyota Corolla 5dr wagon	07/12-	140mm / 5,33/64"	750mm / 29,17/32"	75kg / 165lbs